

## Results on gender and adult/non-adult classification in large datasets

Prof. Modesto Castrillón-Santana, Las Palmas de Gran Canaria University (ULPGC).

9 Marzo 2017, ore 9:30

ID meeting: m48-637-698

<https://go.teamviewer.com/v12/m48637698>

**Abstract.** Biometrics is the science devoted to automatically recognize people based on any physical or behavioral human characteristic, instead to something possessed, memorized, attached or injected. Frequently used human biometric traits are face, iris, gait, DNA, fingerprints, etc. These characteristics are assumed to be strong, as they present the distinctiveness and permanence to clearly differentiate any two individuals. However, there is additional information that may be extracted from biometric traits, e.g. gender, race, apparent age and mood from a face. Certainly, this extra information is not unique. In fact, these attributes lack to be distinctive enough to distinguish between two individuals, but they serve to describe people in meaningful nonoverlapping categories. These attributes are known as soft biometrics, and may be certainly fused for recognition, combined with classical biometric traits, help to reduce the search space, or provide user profiling, etc. Given a facial image of an individual, we have studied two of these attributes, gender and age, exploring a collection of features. We have considered a wide and challenging experimental setup, trying to avoid images captured under restricted conditions. In both cases, we have considered a biclass problem, reducing the age estimation to an adult/non-adult classification that might assist an automatic Child Abuse Material detector. For gender classification, after reviewing the literature related to large datasets, we have studied MORPH, Labeled Faces in the Wild (LFW) and The Images of Groups (GROUPS). For adult/non-adult classification, after observing the lack in large datasets, we have combined FG-Net, Adience, GenderChildren, GROUPS and Boys2Men. In both classification problems, different facial areas have been considered to extract local descriptors: 1) head and shoulders (HS), 2) face (F), 3) periocular (P) and 4) mouth (M). In total, 15 different descriptors have been evaluated covering a large collection of grid setups. Additionally, a Convolutional Neuronal Network (CNN) architecture comprising three convolutional layers and two fully connected layers was evaluated for the HS pattern. The final results indicate that for both problems hand crafted features reported slightly worse accuracies than CNNs based solutions. However, the combination based on score level fusion of local descriptors and CNNs improves remarkably the classification rate.

Modesto Castrillón-Santana is currently Associate Professor at Las Palmas de Gran Canaria University (ULPGC) in Spain, where he received the M.Sc. and Ph.D. degrees in computer science in 1992 and 2003 respectively. His research activities focus particularly on the automatic facial analysis problem, but covering also different topics related to image processing, perceptual interaction, human-machine interaction and computer graphics. He had published in international conferences and journals. He was a visiting scholar at the University of Genoa, ETH, Max Planck Institute for Biological Cybernetics and the University of Bielefeld.