Accelerating Problem Solving by Combining Machine Learning and Human Learning

David B. Fogel, Ph.D.

Natural Selection, Inc. 3333 N. Torrey Pines Ct., Suite 200 La Jolla, CA 92037 dfogel@natural-selection.com


The Future of Problem Solving Combines Machines with Humans

- Computational intelligence methods can solve problems autonomously
- When combined with human expertise, problem solving accelerates
- When combined with hardware advances, we become truly orders of magnitude more able to address the problems that we face
- My focus is on evolutionary machine learning


Combining Machine Intelligence with Human Intelligence

- Evolutionary computation can discover informative patterns using "self-play"
 - Strategies compete against each other
- Each generation reuses the information stored in the previous generation to explore for new strategies
- Can be combined with human intelligence to achieve solutions rapidly
- Projection: Combination of methods leads to significant acceleration of problem solving in the coming decade

Evolutionary Traveling Salesman Demonstration




Traveling Salesman Demonstration: Cross the Y-axis as Little as Possible




- The traveling salesman must visit every city, so he must cross the y-axis at least twice
- The best evolved solution crosses only twice and still provides an optimized path
- Whether or not the path is perfect is unknown
 - The solution provided is "good enough, fast enough to be useful."


Traveling Diamond Smuggler Example





- Traveling diamond smuggler gets paid every time he crosses the y-axis
- Must still minimize path length to avoid detection by authorities

Evolutionary Optimization in Continuous Domains and Changing Environments









Combining Machine Intelligence with Human Intelligence

- Evolutionary computation can discover informative patterns using "self-play"
 - Strategies compete against each other
- Each generation reuses the information stored in the previous generation to explore for new strategies
- Can be combined with human intelligence to achieve solutions rapidly
- Projection: Combination of methods leads to significant acceleration of problem solving in the coming decade

Striving for Computational Intelligence

- Since the advent of the modern digital computer we've tried to generate machines as intelligent as humans
- Primary goal of early artificial intelligence
 - General problem solver
- What is intelligence?
 - Central problem: No well-accepted definition of intelligence, let alone "artificial intelligence"
- Surrogate challenges in the form of Turing Tests

Turing Test: The Imitation Game

- Turing (1950) replaced the question of "Can a machine think?" to "Can a machine fool an interrogator as well as a human?"
- The test involves a man trying to convince an interrogator than he is a woman
- Machine "passes the test" if it can fool the interrogator as often as the man




Figure 1-1 The Turing test. An interrogator (C) questions both a man (A) and a woman (B) and attempts to determine which is the woman.

Turing Test → **Intelligence**?

- Turing (1950) never claimed that a machine that passes the test would be "intelligent"
 - "Too meaningless to deserve discussion"
- The Turing Test is no more of a test for thinking machines than it is a test for femininity
 - If a man can fool an interrogator into believing he is a woman as often as a woman can convince the interrogator, is the man a woman?
- What were the consequences of focusing on this test?



Consequences

- Impossible to envision passing the test in the 1960s based purely on computer speed
- Narrow the focus

Try games


- Emphasize applications, emphasize humans
- Ask experts how they do things
- Never mind what intelligence is or what sort of intelligence we are trying to generate
 - Minsky: Intelligence means the ability to solve hard problems
- The Turing Test led to the death of AI

Artificial Intelligence

- For an organism (system) to be intelligent, it must make decisions
- A decision arises when available resources must be allocated
 - Must face a range of decisions, otherwise there's really no decision at all
- Decision making requires a goal
- Intelligence may be defined as "the ability of a system to adapt its behavior to meet its goals in a range of environments"


Adaptive Behavior → Evolutionary Computation

- Adaptation is fundamentally an evolutionary process whether it occurs in phyletic, ontogenetic, or sociogenetic systems
- Unit of mutability and reservoir of stored knowledge
- The mechanisms for change and memory differ but the behavioral effects are notably similar
- If we really want to talk about intelligent machines we have to talk about machines that learn and adapt to meet goals based on experience
 - MACHINES THAT EVOLVE



The Game of Checkers

- 8x8 board with red and black squares
- Two players (Red & White)
- 12 pieces (checkers) for each player
- Diagonal Moves
- Jumps are forced
- Checkers and kings
- Win, lose, and draw




White

Computer Checkers

- Samuel's first checkers program
- World Man-Machine Checkers Championship
 - Chinook defeated Marion Tinsley (human), the world checkers champion and won the championship
- Chinook
 - Incorporated a linear polynomial as a board evaluator
 - All "items" of knowledge were preprogrammed, opening book, and all 8-piece endgame database (440 billion stored positions)
 - Did not use any learning
- Programmed human expertise to beat human expertise

Evolving Strategies for Checkers

- 32x1 board vector
- Entries {-*K*, −1, 0, 1, *K*}
- Players pieces positive
- Opponents pieces negative
- Each player consisted of
 - A neural network board evaluator
 - A unique king value K
 - The NN and K are evolvable
- Minimax search
 - 4-ply for training and 6-ply for playing against humans



[0 ... 0 1 0 ... 0 -1.5 0 0 -1.5 0 ... 1.5 -1 ... 0 1.5 0]

King Value = 1.5

10


5

13

23 24

31

Neural Network Architecture



- The closer the NN output was to 1.0 the better the move
- The pieces changed sign when move alternated between players

Evolving Checkers Players

Neural network weight update

 $\sigma'_{i}(j) = \sigma_{i}(j) \exp(\tau N_{j}(0,1)), \qquad j = 1, ..., N_{w} \text{ and } \tau = \left(\sqrt{2}\sqrt{N_{w}}\right)^{-1}$ $w'_{i}(j) = w_{i}(j) + \sigma'_{i}(j)N_{j}(0,1), \qquad j = 1, ..., N_{w}$

King value update

K' = K + 0.1U, where $U \in \{-1, 0, 1\}$

- *K* was limited to [1.0,3.0]

Tournament

- Each player (parents and offspring) played one checkers game with five randomly selected opponents from the population
- Win = 1 points, draw = 0 points, and loss = -2 points
- Games were limited to a maximum of 100 moves



Evolution

- 0. Initialization
 - 15 parents with NN weights uniformly sampled from [-0.2,0.2]
- 1. Offspring generation
 - Each parent generated one offspring
- 2. Tournament
 - All 30 players competed with 5 randomly selected players from the population
- 3. Selection
 - 15 players with the greatest total points were retained as parents for the next generation
- 4. Loop back to step 1.
- Evolution was conducted for 100 generations

Evaluation Against Human Players


- Best player at generation 10 defeated the authors (novice checkers players)
- Best player at generation 100 was evaluated over 100 games against rated human players at the internet gaming site: www.zone.com
- USCF checkers rating on the zone
 - Starts out at 1600 and follows:

Outcome \in { 1(win), 0.5(draw), 0(loss) }


$$W = \frac{1}{1 + 10^{0.0025 \left(R_{opp} - R_{Old} \right)}}$$

 $R_{new} = R_{old} + 32$ (Outcome – W)

Results: Game Outcomes



Results: Game Outcomes





Example of Human Feedback

- Chatbox affords possibility for opponents to communicate
- Often received compliments when neural network made good moves




Extension to Object Neural Networks





Results with Object Neural Network




- Trained over 840 generations (6 months, P2 450MHz)
- Tested on 165+ games, Blondie24

Summarizing Blondie24 Results

Rated at 2045, "expert" level Often played to restrict mobility of opponent

- To the extent that the neural network used this feature, it first had to invent the feature
- We named the neural network Anaconda
- Then brought Blondie24 out of retirement



Checkers Challenges

Chinook

- 10 games at the novice setting (high-level expert)
- Results:
 - Wins: 2, Draws: 4, Losses: 4
- Verifies expert rating

Playsite.com Tournament


- 8 minutes/move
- Blondie24 won the tournament

- 2000-2001 Congress on Evolutionary Computation
- Over 100 colleagues have challenged Anaconda for \$100-\$200
- My money is still safe
- Written about in the NY Times

Blondie24: Playing at the Edge of Al




- Written for general science audience
- Published by Morgan Kaufmann Publishers, Inc. (2002)




Evolutionary Checkers starring Blondie24

- Digenetics, Inc. has brought Blondie24 to life
- www.digenetics.com
- Version 2.0 includes Blondie's "friends," Shannen and Amber
- At Boston Museum of Science



Evolving Object Neural Networks for Chess




Evolutionary Parameters and Baseline

- Material values
- Position value tables per piece type
- Neural networks (3)
- 10 parents, 10 offspring
- Typical mutation and self-adaptation
- 50 generations, 10 independent trials
- Non-evolved material + PVTs yielded rating of 1870 (Class A) when tested against Chessmaster (65 games)

Testing in Tournament Conditions

- Continued evolving Blondie25 this year for 7462 generations
 - All on one P4 2.5GHz/512MB, 7 months
- New tests show 69% win rate against the nonevolved player, up from 61%
- Tests against Pocket Fritz 2.0
 - 13 Wins, 0 Losses, 3 Draws = rating of 2650
- Tests against Fritz 8
 - 3 Wins, 11 Losses, 10 Draws = rating of 2650

Digenetics, Inc. Chess with an Attitude!




...featuring literally intelligent lifelike digital opponents with personalities!







Evolving New Electronic Circuits




- Complicated circuits can be invented by manipulating the positions of resistors, capacitors, and other electronics
- Hybrid system of domain knowledge, structural representation, variation operators



Evolving New Drugs

- Using accurate models of the target protein, pharmaceutical companies can screen 50,000-100,000 possible candidate drugs in less than a week by evolving those that appear best
- Hybrid system of domain knowledge, evolution, traditional gradient search





What's Next?

- Combining machine intelligence with human intelligence (and expertise) can already create significant solutions to vexing problems
- Hardware designs in the future will be tailored to make best use of the algorithms, and their synergy with human problem solving
 - Advances in industry, medicine, defense, and finance



Acknowledgments

- Thanks to Tim Hays, Sarah Hahn, James Quon, Kumar Chellapilla, Doug Johnson, Paul Werbos, Garry Kasparov
- Thanks to AC2005 organizers
- Work sponsored in part by NSF SBIR grants DMI-0232124 and DMI-0349604