

<b>R03</b>		<b>SPRING 2025 - ORLANDO, FL</b>	<b>Chair</b>	<b>Subcom</b>	<b>Cap.</b>	<b>Setup</b>	<b>A/V</b>	<b>ROOM</b>
<b>SUNDAY</b>		<b>6-Apr-2025</b>						
<b>DAY</b>	<b>TIME</b>	<b>EVENT</b>						
	<b>3:00 PM - 4:00 PM</b>	<b>Pre-conference review (Swgr Main Committee Officers, IEEE Staff, &amp; Hotel Coordinators only)</b>	Taylor Lineberger	IEEE	15	C	--	TBD
	<b>4:00 PM - 5:30 PM</b>	Registration	Taylor Lineberger	--	--	T, B, E	EL	TBD
	<b>5:30 PM - 6:00 PM</b>	<b>*FIRST-TIME ATTENDEES* "Switchgear Committee 101"</b> Introduction/Refresher with Main Committee and Subcommittee Officers	Donnie Swing	ALL	30	RR, 2E	S6, EL	TBD
	<b>6:00 PM - 7:30 PM</b>	<b>Welcome Reception</b>	<b>Please Register</b>	ALL	160	RR, 2E	-	TBD
	<b>7:45 PM - 8:15 PM</b>	Subcommittee Status Updates (S/C Chairs Only)	Taylor Lineberger	IEEE	15	C	-	TBD

<b>R03</b>		<b>SPRING 2025 - ORLANDO, FL</b>			<b>Chair</b>	<b>Subcom</b>	<b>Cap.</b>	<b>Setup</b>	<b>A/V</b>	<b>ROOM</b>
<b>MONDAY 7-Apr-2025</b>		<b>DAY – TIME (Local - Eastern Daylight Time) – EVENT</b>								
<b>7:30 AM – 9:30 AM COMPANIONS' BREAKFAST</b>					<b>Please Register</b>	-	40	R	-	<b>TBD</b>
<b>7:00 AM – 8:00 AM BREAKFAST / KEY ACTION ITEMS &amp; ORIENTATION (7:15AM – 7:35AM)</b>		Donnie Swing John Webb Terry Woodyard			ALL	160	R, 2E	S12, P, M(x1), ER		<b>TBD</b>
Registration		Taylor Lineberger			--	--	T, B, E	EL		<b>TBD</b>
<b>8:00 AM – 9:45 AM BREAKOUT MEETINGS</b>					-	-	-	-	-	-
C37.01: Standard for High Voltage Direct Current Circuit Breakers Above 3200 Vdc (I of II)		S. Chen			HVCB	40	U	S6, EL		<b>TBD</b>
C37.100.6: Determination of Test Specimens for Seismic Qualification (I of I)		E. Wilkie			ADSCOM	70	SR, RFT	S6, EL		<b>TBD</b>
Open					-	--	70	SR, RFT	S6, EL	<b>TBD</b>
Open					-	--	90	SR, RFT	S10, EL	<b>TBD</b>
C37.12.1: Recommended Practice for Instruction Manual Content of AC High-Voltage Circuit Breakers Above 1000 V (I of I)		S. Zaharko			HVCB	70	SR, RFT	S6, EL		<b>TBD</b>
C37.17: Direct-Acting Trip Systems LV AC and GP DC Power Circuit Breakers (I of II)		J. Mizener			LVSD	90	SR, RFT	S10, EL		<b>TBD</b>
Open					-	--	40	SR, RFT	S6, EL	<b>TBD</b>
<b>9:45 AM – 10:15 AM MORNING BREAK</b>					-	-	160	2E	--	<b>TBD</b>
Registration		Taylor Lineberger			--	--	T, B, E	EL		<b>TBD</b>
<b>10:15 AM – 12:00 PM BREAKOUT MEETINGS</b>					-	-	-	-	-	-
C37.01: Standard for High Voltage Direct Current Circuit Breakers Above 3200 Vdc (II of II)		S. Chen			HVCB	40	U	S6, EL		<b>TBD</b>
C37.12: IEEE Guide for Specifications of High-Voltage Circuit Breakers (over 1000 V)		T. Irwin			HVCB	70	SR, RFT	S6, EL		<b>TBD</b>
C37.74: Requirements for Subsurface, Vault, and Padmounted Load-Interrupter Switchgear and Fused Load-Interrupter Swgr for AC Systems up to 38 kV (I of III)		K. Darko			RODE	70	SR, RFT	S6, EL		<b>TBD</b>
C37.100.1: Common Requirements for AC High-Voltage Power (I of I)		J. Webb			ADSCOM	90	SR, RFT	S10, EL		<b>TBD</b>
C37.23: Metal-Enclosed Bus (I of I)		J. Hines			SA	70	SR, RFT	S6, EL		<b>TBD</b>
C37.17: Direct-Acting Trip Systems LV AC and GP DC Power Circuit Breakers (II of II)		J. Mizener			LVSD	90	SR, RFT	S10, EL		<b>TBD</b>
Open					-	--	40	SR, RFT	S6, EL	<b>TBD</b>
<b>12:00 PM – 1:30 PM LUNCH BREAK (On Your Own)</b>					-	-	-	--	--	-
Main Committee Officer Planning Meeting (*)		Donnie Swing			--	10	U	S6, EL		<b>TBD</b>
Women Engineers Networking Luncheon		K. Trost			--	10	E	-	-	<b>TBD</b>
<b>1:30 PM – 3:15 PM BREAKOUT MEETINGS</b>					-	-	-	-	-	-
Open					-	--	40	U	S6, EL	<b>TBD</b>
IEEE 316: IEEE Standard Requirements for Direct Current Instrument Shunts (I of I)		J. Mizener			LVSD	70	SR, RFT	S6, EL		<b>TBD</b>
C37.74: Requirements for Subsurface, Vault, and Padmounted Load-Interrupter Switchgear and Fused Load-Interrupter Swgr for AC Systems up to 38 kV (II of III)		K. Darko			RODE	70	SR, RFT	S6, EL		<b>TBD</b>
C37.09a: IEEE Standard Test Procedure for AC High-Voltage Circuit Breakers with Rated Maximum Voltage Above 1000 V Amendment: Modifications to test procedures (I of II)		J. Weisker			HVCB	90	SR, RFT	S10, EL		<b>TBD</b>
Open					-	--	70	SR, RFT	S6, EL	<b>TBD</b>
C37.20.7.1: Guide for Application, Installation, and Use of Switchgear Rated Up to 52 kV Tested for Internal Arcing Faults (I of I)		M. Lafond			SA	90	SR, RFT	S10, EL		<b>TBD</b>
C37.30.5 PAR Study Group: Standard for Definitions for AC High-Voltage Air Switches Rated Above 1000 V		J. Blake			HVS	40	SR, RFT	S6, EL		<b>TBD</b>
<b>3:15 PM – 3:45 PM AFTERNOON BREAK</b>					-	-	160	2E	-	<b>TBD</b>
Registration		Taylor Lineberger			--	--	T, B, E	EL		<b>TBD</b>
<b>3:45 PM – 5:30 PM BREAKOUT MEETINGS</b>					-	-	-	-	-	-
C37.24: Guide for Evaluating the Effect of Solar Radiation on Outdoor Metal-Enclosed Switchgear (I of I)		T. Woodyard			SA	40	U	S6, EL		<b>TBD</b>
C37.13.1: IEEE Standard for Definite-Purpose Switching Devices for Use in Metal-Enclosed Low-Voltage (600 Vac and Below) Power Circuit Breaker Switchgear (I of II)		D. Zia			LVSD	70	SR, RFT	S6, EL		<b>TBD</b>
C37.74: Requirements for Subsurface, Vault, and Padmounted Load-Interrupter Switchgear and Fused Load-Interrupter Swgr for AC Systems up to 38 kV (III of III)		K. Darko			RODE	70	SR, RFT	S6, EL		<b>TBD</b>
C37.09: IEEE Standard Test Procedure for AC High-Voltage Circuit Breakers with Rated Maximum Voltage Above 1000 V (I of I)		J. Weisker			HVCB	90	SR, RFT	S10, EL		<b>TBD</b>
C37.016: AC High Voltage Circuit Switchers rated 15.5 kV through 245 kV (I of I)		N. McCord			HVCB	70	SR, RFT	S6, EL		<b>TBD</b>
Open					-	--	90	SR, RFT	S10, EL	<b>TBD</b>
EPAG: Entity Project Proposals Review (Main Committee and Subcommittee Officers only)		K. Flowers			ADSCOM	40	SR, RFT	S6, EL		<b>TBD</b>
<b>6:00 PM – 9:00 PM BREAKOUT MEETINGS</b>					-	-	-	-	-	-
Open					-	--	70	SR, RFT	S6, EL	<b>TBD</b>
Open					-	--	70	SR, RFT	S6, EL	<b>TBD</b>

<b>R03</b>		<b>SPRING 2025 - ORLANDO, FL</b>			<b>Chair</b>	<b>Subcom</b>	<b>Cap.</b>	<b>Setup</b>	<b>A/V</b>	<b>ROOM</b>
		<b>DAY – TIME (Local - Eastern Daylight Time) – EVENT</b>								
<b>TUESDAY</b>		<b>8-Apr-2025</b>			-	-	-	-	-	-
<b>7:30 AM – 9:30 AM</b>		<b>COMPANIONS' BREAKFAST</b>			<b>Please Register</b>	-	40	R	-	<b>TBD</b>
<b>7:00 AM – 8:00 AM</b>		<b>BREAKFAST BUFFET AND PRESENTATION - Updates from the IEEE Standards Association</b>			Jennifer Santulli	ALL	160	R, 2E	S12, P, M(x1), ER	<b>TBD</b>
Registration					Taylor Lineberger	--	--	T, B, E	EL	<b>TBD</b>
<b>8:00 AM – 9:45 AM</b>		<b>BREAKOUT MEETINGS</b>			-	-	-	-	-	-
C37.42: IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories (I of III)					S. Cochran	HVF	40	U	S6, EL	<b>TBD</b>
C37.13.1: IEEE Standard for Definite-Purpose Switching Devices for Use in Metal-Enclosed Low-Voltage (600 Vac and Below) Power Circuit Breaker Switchgear (II of II)					D. Zia	LVSD	70	SR, RFT	S6, EL	<b>TBD</b>
Open					-	--	70	SR, RFT	S6, EL	<b>TBD</b>
C37.04a: IEEE Standard for Ratings and Requirements for AC High Voltage Circuit Breakers with Rated Maximum Voltage Above 1000 V Amendment: Changes to construction requirements and clarification of certain related required capabilities (I of II)					J. Webb	HVCB	90	SR, RFT	S10, EL	<b>TBD</b>
C37.20.4: Indoor AC Switches (1 kV to 38 kV) (I of II)					B. Cohn	SA	70	SR, RFT	S6, EL	<b>TBD</b>
Open					-	--	90	SR, RFT	S10, EL	<b>TBD</b>
C37.30.7: Requirements for High-Voltage Air Switches Rated Above 1000 Vdc (I of II)					B. Hurst	HVS	40	SR, RFT	S6, EL	<b>TBD</b>
<b>9:45 AM – 10:15 AM</b>		<b>MORNING BREAK</b>			-	-	160	2E	--	<b>TBD</b>
Registration					Taylor Lineberger	--	--	T, B, E	EL	<b>TBD</b>
<b>10:15 AM – 12:00 PM</b>		<b>BREAKOUT MEETINGS</b>			-	-	-	-	-	-
C37.42: IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories (II of III)					S. Cochran	HVF	40	U	S6, EL	<b>TBD</b>
C37.14: DC (3200 V and below) Power Circuit Breakers Used in Enclosures (I of I)					L. Grahor	LVSD	70	SR, RFT	S6, EL	<b>TBD</b>
C37.100.2: Common Requirements for Testing of AC Capacitive Current Switching Devices over 1000 V (I of I)					K. Smith	ADSCOM	70	SR, RFT	S6, EL	<b>TBD</b>
C37.04a: IEEE Standard for Ratings and Requirements for AC High Voltage Circuit Breakers with Rated Maximum Voltage Above 1000 V Amendment: Changes to construction requirements and clarification of certain related required capabilities (II of II)					J. Webb	HVCB	90	SR, RFT	S10, EL	<b>TBD</b>
C37.20.10: IEEE Standard for Definitions for AC (52 kV and Below) and DC (3.2 kV and Below) Switchgear Assemblies (I of I)					D. Delfino	SA	70	SR, RFT	S6, EL	<b>TBD</b>
Open					-	--	90	SR, RFT	S10, EL	<b>TBD</b>
C37.30.7: Requirements for High-Voltage Air Switches Rated Above 1000 Vdc (II of II)					B. Hurst	HVS	40	SR, RFT	S6, EL	<b>TBD</b>
<b>12:00 PM – 2:00 PM</b>		<b>LUNCH AND PRESENTATION - TBD</b>			<b>Please Register</b>	ALL	160	R, 2E	S12, P, M(x1), ER	<b>TBD</b>
<b>2:00 PM – 3:45 PM</b>		<b>BREAKOUT MEETINGS</b>			-	-	-	-	-	-
C37.42: IEEE Standard Specifications for High-Voltage (>1000 V) Fuses and Accessories (III of III)					S. Cochran	HVF	40	U	S6, EL	<b>TBD</b>
C37.06.1 & C37.017 & C37.10.1: Kick-Off Meeting for New HVCB Working Groups (I of I)					D. Schiffbauer	HVCB	70	SR, RFT	S6, EL	<b>TBD</b>
C37.303: Guide for Field Measurement of Partial Discharge within switchgear (above 1000 Vac) (I of II)					A. Lopez	ADSCOM	70	SR, RFT	S6, EL	<b>TBD</b>
C37.60: Automatic circuit reclosers for alternating current systems above 1 000 V (I of IV)					I. Rokser	RODE	90	SR, RFT	S10, EL	<b>TBD</b>
C37.20.1: Metal-Enclosed Low-Voltage (1000 Vac and below, 3200 Vdc and below) Power Circuit Breaker Switchgear (I of II)					M. Lafond	SA	70	SR, RFT	S6, EL	<b>TBD</b>
C37.59: Standard for Requirements for Conversion of Power Switchgear Equipment (I of I)					J. Webb	ADSCOM	90	SR, RFT	S10, EL	<b>TBD</b>
C37.30.4: Standard for Test Code for Switching and Fault Making Tests for High-Voltage Interrupter Switches, Interrupters or Interrupting Aids Used on or Attached to Switches Rated for Alternating Currents Above 1000 V (I of I)					D. Hoss	HVS	40	SR, RFT	S6, EL	<b>TBD</b>
<b>3:45 PM – 4:15 PM</b>		<b>AFTERNOON BREAK</b>			-	-	160	2E	--	<b>TBD</b>
Bulletin Board and Information Table					Taylor Lineberger	--	--	B	EL, E	<b>TBD</b>
<b>4:15 PM – 6:00 PM</b>		<b>BREAKOUT MEETINGS</b>			-	-	-	-	-	-
Open					-	--	40	U	S6, EL	<b>TBD</b>
Open					-	--	70	SR, RFT	S6, EL	<b>TBD</b>
C37.303: Guide for Field Measurement of Partial Discharge within switchgear (above 1000 Vac) (II of II)					A. Lopez	ADSCOM	70	SR, RFT	S6, EL	<b>TBD</b>
C37.60: Automatic circuit reclosers for alternating current systems above 1 000 V (II of IV)					I. Rokser	RODE	90	SR, RFT	S10, EL	<b>TBD</b>
C37.20.1: Metal-Enclosed Low-Voltage (1000 Vac and below, 3200 Vdc and below) Power Circuit Breaker Switchgear (II of II)					M. Lafond	SA	70	SR, RFT	S6, EL	<b>TBD</b>
C37.010: Application Guide for AC High-Voltage Circuit Breakers > 1000 Vac Rated on a Symmetrical Current Basis (I of I)					A. Keels	HVCB	90	SR, RFT	S10, EL	<b>TBD</b>
C37.30.3: Standard Requirements for High-Voltage Interrupter Switches, Interrupters, or Interrupting Aids Used on or Attached to Switches Rated for Alternating Currents Above 1000 V (I of I)					D. Hoss	HVS	40	SR, RFT	S6, EL	<b>TBD</b>
<b>6:00 PM – 8:00 PM</b>		<b>BREAKOUT MEETINGS</b>			-	-	-	-	-	-
STLNA (*)					V. Savulyak	(*)	70	SR, RFT	S8, EL	<b>TBD</b>
Utility Get Together (*)					M. Skidmore	(*)	70	SR, RFT	S8, EL	<b>TBD</b>

<b>R03</b>		<b>SPRING 2025 - ORLANDO, FL</b>		<b>Chair</b>	<b>Subcom</b>	<b>Cap.</b>	<b>Setup</b>	<b>A/V</b>	<b>ROOM</b>
<b>WEDNESDAY 9-Apr-2025</b>		<b>DAY – TIME (Local - Eastern Daylight Time) – EVENT</b>							
<b>7:30 AM – 9:30 AM COMPANIONS' BREAKFAST</b>				<b>Please Register</b>	-	40	R	-	<b>TBD</b>
<b>7:00 AM – 8:00 AM BREAKFAST BUFFET</b>				-	ALL	160	R, 2E	-	<b>TBD</b>
Bulletin Board and Information Table				Taylor Lineberger	--	--	B	EL, E	<b>TBD</b>
<b>8:00 AM – 9:45 AM BREAKOUT MEETINGS</b>									
C37.81: IEEE Guide for Seismic Qualification of Class 1E Metal-Enclosed Power Switchgear Assemblies (I of I)				R. Boyce	SA	40	U	S6, EL	<b>TBD</b>
C37.21: Standard for Control Switchboards (I of I)				C. Thomas	SA	70	SR, RFT	S6, EL	<b>TBD</b>
C37.015: Guide for the Application of Shunt Reactor Switching (I of I)				M. Crawford	HVCB	70	SR, RFT	S6, EL	<b>TBD</b>
C37.60: Automatic circuit reclosers for alternating current systems above 1 000 V (III of IV)				I. Rokser	RODE	90	SR, RFT	S10, EL	<b>TBD</b>
C37.30.2: Guide for Wind-Loading Evaluation of High-Voltage (>1000 V) Air-Break Switches (I of I)				L. Reid	HVS	70	SR, RFT	S6, EL	<b>TBD</b>
C37.20.9: Standard for Metal-Enclosed Switchgear Rated 1 kV to 52 kV Incorporating Gas Insulating Systems (I of I)				T. Woodyard	ADSCOM	90	SR, RFT	S10, EL	<b>TBD</b>
Open				-	--	40	SR, RFT	S6, EL	<b>TBD</b>
<b>9:45 AM – 10:15 AM MORNING BREAK</b>				-	-	160	2E	--	<b>TBD</b>
Bulletin Board and Information Table				Taylor Lineberger	--	--	B	EL, E	<b>TBD</b>
<b>10:15 AM – 12:00 PM BREAKOUT MEETINGS</b>									
C37.82: IEEE Standard for the Qualification of Switchgear Assemblies for Class 1E Applications in Nuclear Power Generating Stations (I of I)				R. Boyce	SA	40	U	S6, EL	<b>TBD</b>
Technology & Innovation Subcommittee				Alex Cochran	TI	70	SR, RFT	S6, EL	<b>TBD</b>
C37.10 Comment Resolution Group: Guide for Investigation, Analysis, and Reporting of CB Failures (I of I)				T. Irwin	HVCB	70	SR, RFT	S6, EL	<b>TBD</b>
C37.60: Automatic circuit reclosers for alternating current systems above 1 000 V (IV of IV)				I. Rokser	RODE	90	SR, RFT	S10, EL	<b>TBD</b>
C37.100.8: Guide For Methodologies to Demonstrate the Expected Life of Lubricants Used in Switching Devices (I of I)				J. Harley	ADSCOM	70	SR, RFT	S6, EL	<b>TBD</b>
62271-37-082: High-voltage Switchgear and Controlgear - Part 37-082: Standard Practice for the Measurement of Sound Pressure Levels on Alternating Current Circuit-breakers (I of I)				L. Falkingham	HVCB	90	SR, RFT	S10, EL	<b>TBD</b>
Open				-	--	40	SR, RFT	S6, EL	<b>TBD</b>
<b>12:00 PM – 1:30 PM LUNCH (On Your Own)</b>				-	-	-	-	-	<b>TBD</b>
Education, Recognition and Publication Subcommittee				Nenad Uzelac	ERP (*)	30	SR, RFT	S6, EL	<b>TBD</b>
<b>1:30 PM – 3:15 PM BREAKOUT MEETINGS</b>				-	-	-	-	-	<b>TBD</b>
High Voltage Fuses Subcommittee				Sterlin Cochran	HVF	40	U	S6, EL	<b>TBD</b>
Switchgear Assemblies Subcommittee				Darryl Moser	SA	70	SR, RFT	S6, EL	<b>TBD</b>
High Voltage Switches Subcommittee				Jacob Blake	HVS	70	SR, RFT	S6, EL	<b>TBD</b>
Open				-	-	90	SR, RFT	S10, EL	<b>TBD</b>
Open				-	-	70	SR, RFT	S6, EL	<b>TBD</b>
Open				-	-	90	SR, RFT	S10, EL	<b>TBD</b>
Open				-	--	40	SR, RFT	S6, EL	<b>TBD</b>
<b>3:15 PM – 3:45 PM AFTERNOON BREAK</b>				-	-	160	2E	-	<b>TBD</b>
Bulletin Board and Information Table				Taylor Lineberger	--	--	B	--	<b>TBD</b>
<b>3:45 PM – 5:30 PM BREAKOUT MEETINGS</b>				-	-	-	-	-	<b>TBD</b>
Reclosers & Other Distribution Equipment Subcommittee				Frank DeCesaro	RODE	40	U	S6, EL	<b>TBD</b>
High Voltage Circuit Breaker Subcommittee				Carl Schuetz	HVCB	70	SR, RFT	S6, EL	<b>TBD</b>
Low Voltage Switchgear Devices Subcommittee				Jeff Mizener	LVSD	70	SR, RFT	S6, EL	<b>TBD</b>
Open				-	-	90	SR, RFT	S10, EL	<b>TBD</b>
Open				-	-	70	SR, RFT	S6, EL	<b>TBD</b>
Open				-	-	90	SR, RFT	S10, EL	<b>TBD</b>
Open				-	--	40	SR, RFT	S6, EL	<b>TBD</b>
<b>6:30 PM – 9:30 PM TBD</b>				<b>Please Register</b>	ALL	200	4E	--	<b>TBD</b>

<b>R03</b>		<b>SPRING 2025 - ORLANDO, FL</b>		<b>Chair</b>	<b>Subcom</b>	<b>Cap.</b>	<b>Setup</b>	<b>A/V</b>	<b>ROOM</b>
<b>THURSDAY 10-Apr-2025</b>				-	-	-	-	-	-
<b>7:30 AM – 9:30 AM</b>	<b>COMPANIONS' BREAKFAST</b>			<b>Please Register</b>	-	40	R	-	<b>TBD</b>
<b>7:00 AM – 8:00 AM</b>	<b>BREAKFAST BUFFET</b>			-	ALL	100	R, 2E	-	<b>TBD</b>
<b>8:00 AM – 9:30 AM</b>	<b>Administrative SubCOMmittee (ADSCOM)</b>	John Webb	ADSCOM	160	SR, RFT, E	RFT, S12, P, M(x3), ER			<b>TBD</b>
<b>2:30 PM – 3:00 PM</b>	<b>AFTERNOON BREAK</b>			-	-	160	2E	-	<b>TBD</b>
<b>10:00 AM – 12:00 PM</b>	<b>Main Switchgear Committee Meeting</b>	Donnie Swing	ALL	160	SR, RFT, E	RFT, S12, P, M(x3), ER			<b>TBD</b>

<b>LEGEND</b>		
<b>Symbol</b>	<b>Room Setup and Audio / Visual Equipment</b>	<b>Switchgear Committee Officers</b>
(*)	Please contact the Chair in advance, if you wish to attend this meeting.	Chair Donnie Swing
B	One Tack Board (3' x 5") and One Easel (for holding sign)	Vice-Chair John Webb
S	Tripod Screen (Width - S6-6', S8-8', S10-10', S12-12'), skirted projector table with power strip, "(x2)" means quantity of 2.	Secretary/Treasurer Terry Woodyard
	Screen to include VGA cable from projector table to one side of U-shape set-up or to head table/podium.	Standards Coordinator Keith Flowers
EL	Power strip on table for laptops (typical 3 for 35 seat rooms, 4 for 45 seat rooms, 6 for 60 seat rooms)	Registrar Jeremy Hensberger
E	One Easel (for holding sign)	Webmaster Jeff Mizener
F	Flip Chart with Pad, Markers, and Easel	Immediate Past Chair Doug Edwards
M	Microphone (fixed location, wired) (x3 = three)	<b>IEEE</b>
ER	Elevated Riser	Meeting Planner Taylor Lineberger
P	Podium & Microphone (wired, handheld)	Committee Program Mgr. Jennifer Santulli
PW	Podium & Microphone (wireless, lapel)	
Ph	Polycom speaker phone with external microphones and phone line	
T	4 6' Tables, 3 chairs or Fixed Registration Desk Area	
R	Rounds of 8 for Breakfast / Lunch / Dinner / Reception	
RR	Set 6 Rounds of 8 or 10 and set 8 High Tables around room	
RFT	Reverse Facing Table w/3 chairs, w/ projector cable to projector table	
SR	School Room/Classroom Style	
U	U-shape wth chairs also around edge of room (10 chairs minimum)	
C	Conference Table Setup	

  

<b>Acronym</b>	<b>Switchgear Subcommittee</b>	<b>Chair</b>
ADSCOM	Administrative	John Webb
ER&P	Education, Recognition & Publication	Nenad Uzelac
HVCB	High-Voltage Circuit Breaker	Carl Schuetz
HVF	High-Voltage Fuses	Sterlin Cochran
HVS	High-Voltage Switches	Jacob Blake
LVSD	Low-Voltage Switchgear Devices	Jeff Mizener
RODE	Reclosers & Other Distribution Equipment	Frank DeCesaro
SA	Switchgear Assemblies	Darryl Moser
TI	Technology & Innovation	Alex Cochran