IEEE PC37.015 Working Group Meeting Minutes

Thursday, October 9th 2025, 8:00-9:45AM

Meeting Minutes Recorded by: Luke Collette, WG Secretary

1. Call to Order

The meeting was called to order at 8:00AM by the Working Group Chair, Mike Crawford.

2. Establishment of Quorum

3. Roll call and Disclosure of Affiliation

Attendees present stated their name and affiliation. Quorum confirmed. A list of attendees (name, affiliation, and voting status) is attached. 57 in attendance (24 of 40 members).

4. **IEEE SA Patent Policy:** Call for Patents

The call for patents was issued; **none raised**.

5. IEEE SA Copyright Policy/IEEE Participant Behavior

The IEEE SA Copyright Policy slides and the Participant Behavior slides were distributed to participants prior to the meeting via iMeet. Participants were asked if anyone had not seen the slides and no one responded

6. Approval of the Agenda

Motion to approve the meeting agenda. (Mover: Carl Schuetz; Second: Andy Keels) The agenda was unanimously approved as presented without objection.

7. Approval of meeting minutes

Motion to approve the minutes from Spring 2025 working group meeting. (Mover: Andy Keels; Second: Marcus Young) The Spring 2025 meeting minutes were unanimously approved without objection.

Motion to approve the minutes from Virtual 2025 working group meeting. (Mover: Craig Polchinski; Second: Marcus Young) The Virtual 2025 meeting minutes were unanimously approved without objection.

8. Technical Presentations or Discussions

WG Secretary presented the latest draft of the document (D3), and the following were the discussion items:

3.3 Shunt reactor load current

Proposed wording was reviewed and no objections were made.

4.2.5.5 Delayed current zeros

- Comment was made that for the case with a circuit breaker added to trip the line section before the reactor, this could be a concern for secondary arc extinction for cases where a neutral reactor is installed. Consensus was to remove "line or" from the statement "For the case with a shunt reactor compensated line or cable..."
- Another comment was to add a circuit breaker to the shunt reactor in Figure 4a since this is a more common application.

4.4.4.2 Bypass switch across neutral reactor

- Comment was made to replace "Bypass breaker" with "Bypass device"
- Change "more reliable approach" to "more preferable approach"

5 Limitation of overvoltages

• Comment was made regarding the use of surge arresters across the shunt reactor rather than line-to-ground (e.g., tertiary reactors). Proposal to change "Surge arresters applied line-to-ground" to "Surge arresters applied line-to-ground or across the reactor"

Annex B Shunt reactor characteristics

- Comment was made to change rated voltages to appropriate values (e.g., change 500 kV to 550 kV).
- Modifications are to be made to this section to factor in the use of air-core shunt reactors at voltages greater than 161 kV. Dave Caverly volunteered to provide feedback.

Annex G Guidance for TRV analysis in an electromagnetic transients program

- New section, G.4.3, was presented by Urmil Parikh.
- Figure G.13 to be revised to zoom in around first peaks.
- A comparison of the simulated TRV to the calculated TRV to be included.
- Example range for values in G.9 and G.10 to be included if possible.
- Add a figure of the circuit to the beginning of the section, similar to the other sections.
- Urmil Parikh volunteered to provide updates to this section based on feedback during the meeting.

9. Future Working Group Meetings

Virtual meeting to be scheduled for the winter

10. Adjourn

WG Chair adjourned the meeting at 9:30AM

IEEE PES Switchgear Committee HVCB C37.015 - Meeting Roster

Place / Date of meeting: Peppermill Resort, Reno, NV - 10/9/25

Initial to					
denote					Request
attendance	Last name	First name		Role	Membership
X	Aristizabal	Mauricio	Hitachi Energy	Non-Voting Member	
X	Benedict	Dan	PPL	Voting Member	
X	Bornuat	Albane	GE Vernova	Non-Voting Member	
X	Bronsveld	Arjan	Hitachi Energy Sweden	Voting Member	
X	Brooks	Adam	Duke Energy	Non-Voting Member	
X	Bufi	Arben	Meiden America Switchgear	Voting Member	
X	Byreddy	Sudarshan	Burns & McDonnel	Voting Member	
X	Caverly	Dave	Trench Group	Non-Member	
Х	Chovanec	Andrew	Power Grid Components	Voting Member	
X	Christian	Michael	ABB	Voting Member	
X	Collette	Lucas	Duquesne Light Co.	Secretary	
X	Crawford	Mike	Mitsubishi Electric Power Products, Inc	Chair	
X	Cunningham	Jason	Power Grid Components	Voting Member	
X	Cuppett	Matthew	Hitachi Energy	Voting Member	
X	Dunn	Chris	Dominion Energy	Non-Voting Member	
X	Hermosillo	Victor	GE Grid Solutions	Voting Member	
X	Jarnigan	Chris	Southern Company	Non-Voting Member	
X	Keels	Andy	kEElectric Engineering PLLC	Voting Member	
X	Kurinko	Carl	Hitachi Energy	Voting Member	
X	Lakshminaray	Ramaprasad	Doble Engineering	Non-Voting Member	
X	Lopez	Leo	Hyundai Electric	Non-Voting Member	
X	Marshall	Vincent	Southern Company	Voting Member	
X	McCord	Neil	KEC Precision	Non-Voting Member	
X	Meekins	Gary	Southern States	Voting Member	
X	Natale	Anthony	HICO America	Non-Voting Member	
X	Parikh	Urmil	Hitachi Energy	Voting Member	
X	Polchinski	Craig	Mitsubishi Electric Power Products, Inc	Voting Member	
X	Rebovich	Justin	GE Grid Solutions	Non-Voting Member	
X	Schiffbauer	Dan	Toshiba International Corp	Voting Member	
X	Schuetz	Carl	SPEC LLC	Voting Member	
X	Sharma	Devki	Retired	Non-Voting Member	
X	Shetty	Sanket	Oncor	Voting Member	
X	Skidmore	Michael	AEP	Voting Member	
X	Steigerwalt	Don	Duke Energy	Non-Voting Member	
X	Tarleton	John	Southern States	Voting Member	
X	Vittoz	Marc	GE Vernova	Non-Voting Member	
X	Weisker	Jan	Siemens Energy	Voting Member	
X	Wolfe	Dan	Pennsylvania Switchgear	Non-Voting Member	
X	Young	Marcus	Mitsubishi Electric Power Products, Inc	Voting Member	
X	Zaharko	Sam	Mitsubishi Electric Power Products, Inc	Non-Voting Member	
X	Blackman	Cole	Southern Company	Non-Member	
Х	Mgunda	McPharlen	HICO America	Non-Member	
Х	Krause	Dwight	Black & Veatch	Non-Member	
X	Ricciuti	Tony	Eaton	Non-Member	
Х	Terry	Timothy	Meiden America Switchgear	Non-Member	
X	Blackmore	Joseph	Meiden America Switchgear	Non-Member	
X	Rahmatian	Farnoosh	NuGrid Power	Non-Member	

IEEE PES Switchgear Committee HVCB C37.015 - Meeting Roster

Place / Date of meeting: Peppermill Resort, Reno, NV - 10/9/25

Initial to denote attendance	Last name	First name	Company name	Role	Request Membership
Х	Luong	Syndi	PG&E	Non-Member	
X	Hensberger	Jeremy	Mitsubishi Electric Power Products, Inc	Non-Member	
Х	Zhong	Jim	ATC	Non-Member	
X	Hoehn	Hans	ATC	Non-Member	
X	Dilillo	Patrick	T and I Consults	Non-Member	
X	Eduardo	Henriet	Siemens Energy	Non-Member	
Х	Eloy	Banda	Siemens Energy	Non-Member	
Х	Yi	Jeongah	Hyundai Electric	Non-Member	
Х	Becker	George	Power Engineers	Non-Member	
X	Mitchell	Dave	Southern States	Non-Member	