

## Magnetic and microwave properties of Fe<sub>20</sub>Ni<sub>80</sub> magnetic nanoparticles with close to zero magnetostriction

Galina Kurlyandskaya<sup>1</sup>, Igor Beketov<sup>2,3</sup>, Satindar Bhagat<sup>4</sup>, Alexander Safronov<sup>2,3</sup>, Anatoly Medvedev<sup>2</sup>, Aitor Larrañaga<sup>1</sup>


<sup>1</sup>Universidad del País Basco UPV-EHU, Spain

<sup>2</sup>Ural Federal University, Russia

<sup>3</sup>Institute of Electrophysics, Russia

<sup>4</sup>University of Maryland, USA

Iron-nickel alloys have been the subject of theoretical and experimental research. Fe-Ni nanoparticles (MNPs) with different composition are of special interest in the field of microwave applications. At the same time Fe-Ni alloys phase diagram is a fundamental subject still poorly developed for MNPs. Fe-Ni diagram can be divided into characteristic parts with respect to MNPs crystallographic structure: body-centered cubic system (bcc), face-centered cubic system (fcc) and bcc plus fcc coexistence region [1]. At room temperature coexistence bcc + fcc region depends critically on the preparation technique. In our previous studies we have analyzed pure iron, nickel MNPs, FeNi MNPs with Fe<sub>45</sub>Ni<sub>55</sub> and Fe<sub>64</sub>Ni<sub>36</sub> compositions prepared in particular conditions of electrical explosion of the wire (EEW) technique [2]. One very important part of EEW Fe-Ni alloys phase diagram is still missing in the literature, MNPs of Fe<sub>19</sub>Ni<sub>81</sub> composition, corresponding to close to zero magnetostriction. In this work we have prepared Fe-Ni MNPs of Fe<sub>19</sub>Ni<sub>81</sub> composition by the electrical explosion of wire employing controlled variation of explosion parameters for the synthesis. Their structure, morphology, magnetic and microwave properties were studied by different techniques. Figure 1 shows example of selected parameters for spherical Fe<sub>19</sub>Ni<sub>81</sub> EEW MNPs with specific surface of 5.3 m<sup>2</sup>/g, being pure fcc phase as confirmed by X-ray diffraction studies.



**Figure 1.** Spherical Fe<sub>19</sub>Ni<sub>81</sub> EEW MNPs: scanning electron microscopy image of (left); magnetic hysteresis loop with primary magnetization curve, inset shows low field part (right).

[1] L.J. Swartzendruber, V.P. Itkin, C.B. Alcock, J. Phase Equilib. 12 (3) (1991) 288–312.

[2] G.V. Kurlyandskaya, I. Madinabeitia, I.V. Beketov, A.I. Medvedev, A. Larrañaga, A.P. Safronov, S.M. Bhagat, J. Alloy Comp. 615 (2014) S231–S235.